


A10 to DC Converter Connection



310V	Brown
15V	Grey
HV Ground	Blue
12V	Red
Ground	Black
A10 Trigger	Purple

Connect the 7 core armoured cable to the terminals indicated in the illustration. Refer to the table for the correct colour terminations.




NB: Ensure that the colours on the harness match the colours on the cable. Failing to do so is likely to result in device failure.



It is important that all power is removed from the A10 and the DC Converter before connecting the Converter to the A10.

Refer to the mains LED on the A10 Inverter board to ensure that no residual charge is left on the A10 unit. If in doubt, leave the A10 for a minimum of 10 minutes before connecting the DC Converter.

- ❶ 220V AC mains cable (3 core LNE 1,5mm²) via mains isolator switch (order code: ISOL20A1)
- ❷ 12V Battery Cable (supplied with DC Converter Kit)
- ❸ 7 Core Armoured Cable required to connect the DC Converter to the A10 (order code: CABLE07ARM)



CENTURION SYSTEMS (PTY) LTD HEAD OFFICE
TEL: +27 (0)11 699-2400, FAX: +27 (0)11 704-3412 of 462-6669
148 EPSOM AVENUE, NORTH RIDING
P O BOX 506, CRAMERVILLE, 2060
SOUTH AFRICA



WEB: <http://www.centsys.co.za> General Information: e-mail: info@centsys.co.za

FOR TECHNICAL SUPPORT

EAST RAND..... (011) 397-6401
DURBAN (031) 701-9583
NELSPRUIT (013) 752-8074/5
PRETORIA (012) 362-8819/8893
CAPE TOWN (021) 447-1295
PORT ELIZABETH (041) 581-6994/5
EAST LONDON (043) 743-4923
BLOEMFONTEIN..... (051) 448-1714
KIMBERLEY..... (053) 832-3231
VEREENIGING..... (016) 422-5667



CENTURION
THE AUTOMATIC CHOICE